



Simple now  
Simple for years

**DEFINITION** Built-in maintenance-free railings, privacy screens and fences made from premium materials and built to last.

In stock, heavy-duty and easy to install, Kleco is the perfect solution for an impeccable result, whether for professionals or DIYers.



### Railings

premium quality




### Privacy screen

heavy-duty



### Fence

maintenance-free



SCREW → CUT → FIX



# RAILINGS WITH HANDRAIL

- Legend**
- Black
  - White
  - Charcoal
  - Commercial Brown



**Posts** Compatible with railings, privacy screens and fences.

FORMAT	1 3/4"		3"	
HEIGHT 37"	● K-PO1175-37-NR ○ K-PO1175-37-BL	● K-PO1175-37-CH	● K-PO1300-38-NR ○ K-PO1300-38-BL	● K-PO1300-38-BR ● K-PO1300-38-CH
44"	● K-PO1175-44-NR ○ K-PO1175-44-BL	● K-PO1175-44-CH	● K-PO1300-45-NR ○ K-PO1300-45-BL	● K-PO1300-45-BR ● K-PO1300-45-CH
51"	● K-PO1175-51-NR ○ K-PO1175-51-BL	● K-PO1175-51-CH	● K-PO1300-52-NR ○ K-PO1300-52-BL	● K-PO1300-52-BR ● K-PO1300-52-CH
73"			● K-PO1300-73-NR ○ K-PO1300-73-BL	● K-PO1300-73-BR ● K-PO1300-73-CH
96"			● K-PO1300-96-NR ○ K-PO1300-96-BL	● K-PO1300-96-BR ● K-PO1300-96-CH



**Section between posts** Balusters can be cut anywhere. The glass can be cut at a maximum of 1" on each side.


LENGTH	46"		60"		72"		*96"	
HEIGHT 37"	BALUSTERS	● K-GCMC01B-37X46-NR ○ K-GCMC01B-37X46-BL ● K-GCMC01B-37X46-BR ● K-GCMC01B-37X46-CH	● K-GCMC01B-37X60-NR ○ K-GCMC01B-37X60-BL	● K-GCMC01B-37X72-NR ○ K-GCMC01B-37X72-BL ● K-GCMC01B-37X72-BR ● K-GCMC01B-37X72-CH	● K-GCMC01B-37X96-NR* ○ K-GCMC01B-37X96-BL*			
		GLASS	● K-GCMC01V-37X46-NR ○ K-GCMC01V-37X46-BL		● K-GCMC01V-37X72-NR ○ K-GCMC01V-37X72-BL			
MANDATORY HEIGHT FOR A DECK OVER 5'-11" HIGH								
HEIGHT 43"	BALUSTERS	● K-GCMC01B-43X46-NR ○ K-GCMC01B-43X46-BL ● K-GCMC01B-43X46-BR ● K-GCMC01B-43X46-CH	● K-GCMC01B-43X60-NR ○ K-GCMC01B-43X60-BL	● K-GCMC01B-43X72-NR ○ K-GCMC01B-43X72-BL ● K-GCMC01B-43X72-BR ● K-GCMC01B-43X72-CH				
		GLASS	● K-GCMC01V-48X46-NR ○ K-GCMC01V-48X46-BL		● K-GCMC01V-48X72-NR ○ K-GCMC01V-48X72-BL			
MANDATORY HEIGHT TO SECURE THE POOL IN QUEBEC								
HEIGHT 48"	BALUSTERS	● K-GCMC01B-48X46-NR ○ K-GCMC01B-48X46-BL ● K-GCMC01B-48X46-BR ● K-GCMC01B-48X46-CH	● K-GCMC01B-48X60-NR	● K-GCMC01B-48X72-NR ○ K-GCMC01B-48X72-BL ● K-GCMC01B-48X72-BR ● K-GCMC01B-48X72-CH	● K-GCMC01B-48X96-NR			
		GLASS	● K-GCMC01V-48X46-NR ○ K-GCMC01V-48X46-BL		● K-GCMC01V-48X72-NR ○ K-GCMC01V-48X72-BL			

\* These sections must be cut prior to installation for a maximum of 84" between posts.



**Stair with balusters** 37° angle, adjustable from 35° to 41°. Glass stair railings available on special order.

LENGTH	46"		72"		91"	
HEIGHT 37"	3 STEPS OR LESS		5 STEPS OR LESS		7 STEPS OR LESS	
	● K-GCDE01B-37X46-NR ○ K-GCDE01B-37X46-BL ● K-GCDE01B-37X46-BR ● K-GCDE01B-37X46-CH	● K-GCDE01B-37X72-NR ○ K-GCDE01B-37X72-BL ● K-GCDE01B-37X72-BR ● K-GCDE01B-37X72-CH			● K-GCDE01B-37X91-NR ○ K-GCDE01B-37X91-BL	
HEIGHT 48"	● K-GCDE01B-48X46-NR ○ K-GCDE01B-48X46-BL		● K-GCDE01B-48X72-NR ○ K-GCDE01B-48X72-BL			



\* For the 36" stair, use 45" posts for the last step.



**Door / Gate** Adjustable door frame between 30" and 45"

FORMAT	3" *	
HEIGHT 37"	● K-GCBA01B-PO1300-37-NR ○ K-GCBA01B-PO1300-37-BL	● K-GCBA01B-PO1300-37-BR ● K-GCBA01B-PO1300-37-CH
43"	● K-GCBA01B-PO1300-43-NR ○ K-GCBA01B-PO1300-43-BL	● K-GCBA01B-PO1300-43-BR ● K-GCBA01B-PO1300-43-CH
48"	● K-GCBA01B-PO1300-48-NR ○ K-GCBA01B-PO1300-48-BL	● K-GCBA01B-PO1300-48-BR ● K-GCBA01B-PO1300-48-CH

+ **Add a baluster section to the framing kit:**  
a 46" section or a recut will be needed to finalize your door.

Hardware **included** with framing kit.

\* Available in 1 3/4" on special order



# PRIVACY SCREEN AND FENCE

## Create your privacy screen in 3 steps!

- 1 Select posts.  
See sizes posts at page 52
- 2 Select trims and hardware:

REFERENCE	DESCRIPTION
K-MIM4X6-N	4' X 6' TRIMS AND HARDWARE KIT, BLACK
K-MIM6X6-N	6' X 6' TRIMS AND HARDWARE KIT, BLACK
K-MIM6X6-B	6' X 6' TRIMS AND HARDWARE KIT, WHITE
K-ESP-01-N	1/2" BLACK SPACER FOR BOARDS (20 UNITS / SECTION)
K-ESP-01-B	1/2" WHITE SPACER FOR BOARDS (20 UNITS / SECTION)

- 3 Choose your finishing boards:

### Recycled plastic boards

Very sturdy, these full HDPE boards are made and installed in Quebec for over 30 years.



Tongue & groove



River Sand      Urban Grey      Wood Cedar



Seafoam Grey      Bark Brown      Black

See available dimensions at page 47

### PVC boards

They offer style, privacy, and lightness with a wood-grain finish and zero maintenance.



Tongue & groove



Drift Wood      Terra Sienna      Volcanic Stone

Dimensions : 6" x 12"



PRIVACY WALLS AND FENCES ARE DESIGNED WITH A VERY LARGE TRIM, SUITABLE FOR ALTERNATIVE PRODUCTS WITH EXPANSION.

## NEW !

Ready-to-install privacy wall section with boards, trims and hardware.

REFERENCE	BOARDS COLOR	FINISHED WALL SIZE
K-MIKIT4X6-N-PVC-NR	BLACK (HDPE)	4' X 6'
K-MIKIT6X6-N-PVC-BG	DRIFT WOOD	6' X 6'
K-MIKIT6X6-N-PVC-TS	TERRA SIENNA	6' X 6'
K-MIKIT6X6-N-PVC-PV	VOLCANIC STONE	6' X 6'




## Fence gate

- 1 Add the hardware and turn your fence section into a gate.

REFERENCE	DESCRIPTION	
2 A K-MIM-PORTE-N	PRIVACY GATE TRIM AND HARDWARE KIT 42 X 72	● ○
K-MIM-PORTEQ-01-N	B HINGES	● ●
	C LATCH	● ●
	D HANDLE	● ●

- 3 Add the finishing boards of your choice!



B Hinge



C Latch



D Handle



SCAN THE CODE OR CLICK HERE TO DOWNLOAD THE TECHNICAL SHEETS AND INSTALLATION GUIDE.

This document is the property of Avenord Inc. Information is subject to change without notice. Revised 17-12-2026

**PLASTX**

1 888 994-3130

VENTES@AVENORD.COM

# SPIGOT RAILING

## Legend

- NR (BLACK)
- IX (STAINLESS)



**12mm Glass Panels** The space between two glass panels should be between 3/4" and 2 1/4"

Length		36"	42" *	48"	48" pre-drilled	60"	60" pre-drilled
MM	Inches						
200	7.8	KS-GC12-36X200	KS-GC12-42X200				
250	9.8	KS-GC12-36X250	KS-GC12-42X250				
300	11.8	KS-GC12-36X300	KS-GC12-42X300	KS-GC12-48X300	KS-GCBA12-48X300	KS-GC12-60X300	KS-GCBA12-60X300
350	13.8	KS-GC12-36X350	KS-GC12-42X350				
400	15.7	KS-GC12-36X400	KS-GC12-42X400	KS-GC12-48X400	KS-GCBA12-48X400	KS-GC12-60X400	KS-GCBA12-60X400
450	17.7	KS-GC12-36X450	KS-GC12-42X450	KS-GC12-48X450			
500	19.7	KS-GC12-36X500	KS-GC12-42X500	KS-GC12-48X500	KS-GCBA12-48X500	KS-GC12-60X500	KS-GCBA12-60X500
550	21.7	KS-GC12-36X550	KS-GC12-42X550	KS-GC12-48X550			
600	23.6	KS-GC12-36X600	KS-GC12-42X600	KS-GC12-48X600	KS-GCBA12-48X600	KS-GC12-60X600	KS-GCBA12-60X600
650	25.6	KS-GC12-36X650	KS-GC12-42X650	KS-GC12-48X650		KS-GC12-60X650	
700	27.6	KS-GC12-36X700	KS-GC12-42X700	KS-GC12-48X700	KS-GCBA12-48X700	KS-GC12-60X700	KS-GCBA12-60X700
750	26.5	KS-GC12-36X750	KS-GC12-42X750	KS-GC12-48X750		KS-GC12-60X750	
800	31.5	KS-GC12-36X800	KS-GC12-42X800	KS-GC12-48X800	KS-GCBA12-48X800	KS-GC12-60X800	KS-GCBA12-60X800
850	33.5	KS-GC12-36X850	KS-GC12-42X850	KS-GC12-48X850			
900	35.4	KS-GC12-36X900	KS-GC12-42X900	KS-GC12-48X900	KS-GCBA12-48X900	KS-GC12-60X900	KS-GCBA12-60X900
950	37.4	KS-GC12-36X950	KS-GC12-42X950	KS-GC12-48X950		KS-GC12-60X950	
1000	39.4	KS-GC12-36X1000	KS-GC12-42X1000	KS-GC12-48X1000	KS-GCBA12-48X1000	KS-GC12-60X1000	KS-GCBA12-60X1000
1050	41.3	KS-GC12-36X1050	KS-GC12-42X1050	KS-GC12-48X1050		KS-GC12-60X1050	
1100	43.3	KS-GC12-36X1100	KS-GC12-42X1100	KS-GC12-48X1100	KS-GCBA12-48X1100	KS-GC12-60X1100	KS-GCBA12-60X1100
1150	45.3	KS-GC12-36X1150	KS-GC12-42X1150	KS-GC12-48X1150		KS-GC12-60X1150	
1200	47.2	KS-GC12-36X1200	KS-GC12-42X1200	KS-GC12-48X1200	KS-GCBA12-48X1200	KS-GC12-60X1200	KS-GCBA12-60X1200
1250	49.2	KS-GC12-36X1250	KS-GC12-42X1250	KS-GC12-48X1250		KS-GC12-60X1250	
1300	51.2	KS-GC12-36X1300	KS-GC12-42X1300	KS-GC12-48X1300	KS-GCBA12-48X1300	KS-GC12-60X1300	KS-GCBA12-60X1300
1350	53.1	KS-GC12-36X1350	KS-GC12-42X1350	KS-GC12-48X1350		KS-GC12-60X1350	
1400	55.1	KS-GC12-36X1400	KS-GC12-42X1400	KS-GC12-48X1400	KS-GCBA12-48X1400	KS-GC12-60X1400	KS-GCBA12-60X1400
1450	57	KS-GC12-36X1450	KS-GC12-42X1450	KS-GC12-48X1450		KS-GC12-60X1450	
1500	59	KS-GC12-36X1500	KS-GC12-42X1500	KS-GC12-48X1500	KS-GCBA12-48X1500	KS-GC12-48X1500	KS-GCBA12-60X1500
1550	61	KS-GC12-36X1550	KS-GC12-42X1550	KS-GC12-48X1550			
1600	63	KS-GC12-36X1600	KS-GC12-42X1600	KS-GC12-48X1600			
1650	65		KS-GC12-42X1650				
1700	67	KS-GC12-36X1700	KS-GC12-42X1700	KS-GC12-48X1700			
1750	69		KS-GC12-42X1750				
1800	70.9	KS-GC12-36X1800	KS-GC12-42X1800	KS-GC12-48X1800			

\*Find out more about the 42" perforated panels.




## Stairs accessories

REFERENCE	ITEM
A - K-PO1175-51-NR	● 1 3/4" X 1 3/4" X 51", BLACK POST
B - K-MC01-20	● 20' HANDRAIL BAR
K-MC01Q-01	● END CAPS FOR HANDRAIL
K-MC01Q-02	● BRACKET FOR SECURING HANDRAIL TO POSTS
K-MC01Q-NR	● 0° TO 45° ANGLE ADAPTER




From 3 risers or more, a handrail is essential.



### Option #1

Determine the dimensions of your panel by subtracting 12 mm from each side, as shown above.



### Option #2

Ask for the custom sizing spreadsheet.

# SPIGOT RAILING



## Pool Gates 10mm Glass Panels


REFERENCE	DESCRIPTION
KS-BA10-42X800-CL	SINGLE DOOR 42" X 800 MM
KS-BA10D-42X800-CL	DOUBLE DOOR 42" X 800 MM
KS-BA10-42X900-CL	SINGLE DOOR 42" X 900 MM
KS-BA10D-42X900-CL	DOUBLE DOOR 42" X 900 MM
KS-BA10-48X800-CL	SINGLE DOOR 48" X 800 MM
KS-BA10D-48X800-CL	DOUBLE DOOR 48" X 800 MM
KS-BA10-48X900-CL	SINGLE DOOR 48" X 900 MM
KS-BA10D-48X900-CL	DOUBLE DOOR 48" X 900 MM
KS-BA10-60X800-CL	SINGLE DOOR 60" X 800 MM
KS-BA10D-60X800-CL	DOUBLE DOOR 60" X 800 MM
KS-BA10-60X900-CL	SINGLE DOOR 60" X 900 MM
KS-BA10D-60X900-CL	DOUBLE DOOR 60" X 900 MM




## Pool Gates Accessories

HARDWARE	
KS-BAQ-SS	STANDARD LOCK (POOL OPENING)
KS-BAQ-SI	REVERSE LOCK (HOUSE OPENING)
KS-BAQ-SC	CORNER LOCK
KS-BAQ-CS	STANDARD HINGES
KS-BAQ-CM	WALL-MOUNT HINGES
KS-BAQ-BC12	FLOOR LATCH FOR DOUBLE DOOR (CANE BOLT)

### Single Pool Gate



### Double



## Anchors and Installation

REFERENCE	DESCRIPTION	QTY / BOX
KS-ANC-GA386-25	WOOD - 3/8" X 6" GALVANIZED ANCHOR SCREWS	25
KS-ANC-GA386-200	WOOD - 3/8" X 6" GALVANIZED ANCHOR SCREWS	200
KS-ANC-GA383-50	CONCRETE - 3/8" X 3" GALVANIZED ANCHOR SCREWS *	50
KS-ANC-SS383-50	CONCRETE - 3/8" X 3" STAINLESS STEEL ANCHOR SCREWS *	50
KS-ANC-GA385-30	PAVERS - 3/8" X 5" GALVANIZED ANCHOR SCREWS	30
KS-ANC-SS385-30	PAVERS - 3/8" X 5" STAINLESS STEEL ANCHOR SCREWS	30
KS-Q-01	FLAT SUCTION CUP WITH METAL HANDLE FOR EASIER INSTALLATION	1
KS-MC12-120-NR OR IX	HANDRAIL (10')	-
KS-PO1150-50	1,5" X 50" STAINLESS STEEL POST	-

Torpedo-type anchor\*



## Installation items



### Union

KS-GC12Q-US-NR  
KS-GC12Q-US-IX  
To join 2 standard glass panels



### Flexible Union

KS-GC12Q-UF-NR  
KS-GC12Q-UF-IX  
To join 2 panels with an angle, 25° to 130°



### Corner joint

KS-GC12Q-CS-NR  
KS-GC12Q-CS-IX  
To join 2 panels at a corner



### Wall Mount (Right or Left)

KS-GC12Q-01D-NR  
KS-GC12Q-01D-IX  
KS-GC12Q-01G-NR  
KS-GC12Q-01G-IX  
To connect a panel to a post or a wall



### Spigot

KS-SPSS21-NR  
KS-SPSS21-IX  
1 spigot per panels up to 12"  
2 spigots per 12" to 60" panels  
3 spigots per panels over 60"



SCAN THE QR CODE TO DOWNLOAD TECHNICAL SHEETS AND INSTALLATION GUIDE

This document is the property of Avenord inc. Informations are subject to change without notice. Revised 12-02-2026

**PLASTX**

1 888 994-3130

VENTES@AVENORD.COM

55